AMENDMENTS TO THE CLAIMS

(Currently amended) A sheet transport mechanism, comprising:

a rotation roller;

a plurality of driven rollers which are arranged parallel to an axis of the rotation roller;

and

a plurality of sheet transport guides, each guiding toward the rotation roller, a sheet to be

transported between the rotation roller and the driven rollers, each of the sheet transport guides

including a torsion coil spring having an coil portion fixed to a frame, the frame extends along a

path where the sheet is to be transportedarm portion which is connected to each of the driven

rollers, wherein

the coil portion has a first arm portion which extends to and is attached to a respective

rotation shaft of one of the driven rollers and the coil portion has a second arm extending to and

fixed to the frame, an end of the second arm extends away from the coil portion and the end of

the second arm is fixed to the frame at a location along the path different from a location of the

coil portion,

each of the sheet transport guides applies elastic force to each of the driven rollers so that

each of the driven rollers is elastically biased toward the rotation roller, and

each elastic force applied to each of the sheet transport guides is different from each other

with distance from a predetermined reference position, and

the predetermined reference position is located at a position where a sheet S of any size

2

necessarily passes.

2-11. (Canceled)

CG/AE

Reply to Office Action of April 16, 2009

12. (Previously presented) A sheet transport mechanism according to claim 1,

wherein the predetermined reference position is located in a central part of the shaft of the rotation roller.

13. (Previously presented) A sheet transport mechanism according to claim 1,

wherein the predetermined reference position is located in either one of opposite end

portions of the shaft of the rotation roller.

14. (Previously presented) A sheet transport mechanism, comprising:

a rotation roller;

a plurality of driven rollers which are arranged parallel to an axis of the rotation roller;

and

a plurality of sheet transport guides, each guiding toward the rotation roller, a sheet to be

transported between the rotation roller and the driven rollers, each of the sheet transport guides

including a torsion coil spring having a coil portion fixed to a frame, where the coil portion has a

first arm portion which extends to and is attached to a respective rotation shaft of one of the

driven rollers and the coil portion has a second arm extending to and fixed to the frame, wherein

each of the sheet transport guides applies elastic force to one of the driven rollers so that

each of the driven rollers is elastically biased toward the rotation roller, and

each elastic force applied to each of the sheet transport guides is different from each other

3

with distance from a predetermined reference position

CG/AE

Application No. 10/551,581 Amendment dated July 10, 2009 Reply to Office Action of April 16, 2009

15. (Canceled)

16. (New) A sheet transport mechanism according to claim 14, wherein an end of the second arm extends away from the coil portion and the end of the second arm is fixed to the frame at a location different from a location of the coil portion.

4 CG/AE